

AGENDA

Board of Public Works Meeting
Tuesday, May 30, 2017 - **7:00 p.m.**
Jackson Village Hall
N168W20733 Main Street
Jackson WI 53037

1. Call to Order and Roll Call.
2. Approval of Minutes for April 25, 2017, meeting.
3. Review of Storm Water Drainage Stonehedge Drive.
4. Presentation of Jackson Water Utility Analysis Report – City Water LLC
5. Review of Pay Request #2 Chateau Dr Reconstruction Project.
6. Discussion on Special Assessment for final lift of asphalt.
7. Resolution 17-10 – Outdoor Recreation Aids for the Village of Jackson.
8. Resolution 17-11 – Accepting Sewer & Water System Cranberry Creek Phase 4
9. Director of Public Works Report.
10. Citizens/Village Staff to address the Board.
11. Adjourn.

Persons with disabilities requiring special accommodations for attendance at the meeting should contact the Village Hall at least one (1) business day prior to the meeting.

It is possible that members of the Village Board may attend the above meeting. No action will be taken by any governmental body at this meeting other than the governmental body specifically referred to in this meeting notice. This notice is given so that members of the Village Board may attend the meeting without violating the open meeting law.

Public Works Report

May 30, 2017

Treatment Plant - Designed Capacity – 1.67 million gallons per day
 Peak Flow Capacity – 6.0 million gallons per day

Year 2015

January	Avg. Flow 667,774 g.p.d.	Min. Flow 617,000 g.p.d.	Max. 713,000 g.p.d.
February	Avg. Flow 620,893 g.p.d.	Min. Flow 591,000 g.p.d.	Max. 662,000 g.p.d.
March	Avg. Flow 753,484 g.p.d.	Min. Flow 597,000 g.p.d.	Max. 885,000 g.p.d.
April	Avg. Flow 1.203 MGD	Min. Flow 705,000 g.p.d.	Max. 3.759 MGD
May	Avg. Flow 775,323 g.p.d.	Min. Flow 584,000 g.p.d.	Max. 1.317 MGD
June	Avg. Flow 905,633 g.p.d.	Min. Flow 661,000 g.p.d.	Max. 1.409 MGD
July	Avg. Flow 696,290 g.p.d.	Min. Flow 571,000 g.p.d.	Max. 912,000 g.p.d.
August	Avg. Flow 726,935 g.p.d.	Min. Flow 558,000 g.p.d.	Max. 1.254 MGD
September	Avg. Flow 728,240 g.p.d.	Min. Flow 526,000 g.p.d.	Max. 1.364 MGD
October	Avg. Flow 505,516 g.p.d.	Min. Flow 409,000 g.p.d.	Max. 691,000 g.p.d.
November	Avg. Flow 696,800 g.p.d.	Min. Flow 494,000 g.p.d.	Max. 1.583 MGD
December	Avg. Flow 897,258 g.p.d.	Min. Flow 616,000 g.p.d.	Max. 1.799 MGD

Year 2016

January	Avg. Flow 611,323 g.p.d.	Min. Flow 451,000 g.p.d.	Max. 924,000 g.p.d.
February	Avg. Flow 640,793 g.p.d.	Min. Flow 496,000 g.p.d.	Max. 851,000 g.p.d.
March	Avg. Flow 821,839 g.p.d.	Min. Flow 567,000 g.p.d.	Max. 1.463 MGD
April	Avg. Flow 718,000 g.p.d.	Min. Flow 563,000 g.p.d.	Max. 1.079 MGD
May	Avg. Flow 615,000 g.p.d.	Min. Flow 490,000 g.p.d.	Max. 937,000 g.p.d.
June	Avg. Flow 622,700 g.p.d.	Min. Flow 513,000 g.p.d.	Max. 892,000 g.p.d.
July	Avg. Flow 690,935 g.p.d.	Min. Flow 457,000 g.p.d.	Max. 1.074 MGD
August	Avg. Flow 1.039 MGD	Min. Flow 822,000 g.p.d.	Max. 1.338 MGD
September	Avg. Flow 1.333 MGD	Min. Flow 813,000 g.p.d.	Max. 2.166 MGD
October	Avg. Flow 1.319 MGD	Min. Flow 949,000 g.p.d.	Max. 2.572 MGD
November	Avg. Flow 1.111 MGD	Min. Flow 859,000 g.p.d.	Max. 1.818 MGD
December	Avg. Flow 1.211 MGD	Min. Flow 889,000 g.p.d.	Max. 2.063 MGD

Year 2017

January	Avg. Flow 1.230 MGD	Min. Flow 979,000 g.p.d.	Max. 1.606 MGD
February	Avg. Flow 1.204 MGD	Min. Flow 926,000 g.p.d.	Max. 2.141 MGD
March	Avg. Flow 1.559 MGD	Min. Flow 1.09 MGD	Max. 2.398 MGD
April	Avg. Flow 1.552 MGD	Min. Flow 1.049 MGD	Max. 2.446 MGD

Years Summary of Water Consumption

2004 Total Pumpage 216,055,000 gallons	2005 Total Pumpage 223,215,000 gallons
2006 Total Pumpage 207,719,000 gallons	2007 Total Pumpage 217,224,000 gallons
2008 Total Pumpage 229,613,000 gallons	2009 Total Pumpage 231,160,000 gallons
2010 Total Pumpage 239,326,000 gallons	2011 Total Pumpage 240,268,000 gallons
2012 Total Pumpage 253,492,000 gallons	2013 Total Pumpage 228,371,000 gallons
2014 Total Pumpage 230,973,000 gallons	2015 Total Pumpage 222,621,000 gallons
2016 Total Pumpage 254,531,000 gallons	

Year 2015

Jan.	Avg.	599,680 g.p.d.	Highest Day 719,000 gals.	Total	18,590,000 gallons
Feb.	Avg.	587,040 g.p.d.	Highest Day 736,000 gals.	Total	16,437,000 gallons
March	Avg.	582,970 g.p.d.	Highest Day 698,000 gals.	Total	18,072,000 gallons
April	Avg.	601,370 g.p.d.	Highest Day 928,000 gals.	Total	18,041,000 gallons
May	Avg.	585,260 g.p.d.	Highest Day 698,000 gals.	Total	18,143,000 gallons
June	Avg.	640,430 g.p.d.	Highest Day 779,000 gals.	Total	19,213,000 gallons
July	Avg.	722,550 g.p.d.	Highest Day 989,000 gals.	Total	22,399,000 gallons
August	Avg.	733,420 g.p.d.	Highest Day 1.197 MGD	Total	22,736,000 gallons
Sept	Avg.	615,700 g.p.d.	Highest Day 753,000 gals.	Total	18,471,000 gallons
Oct	Avg.	594,840 g.p.d.	Highest Day 945,000 gals.	Total	18,440,000 gallons
Nov	Avg.	492,630 g.p.d.	Highest Day 599,000 gals.	Total	14,779,000 gallons
Dec	Avg.	555,480 g.p.d.	Highest Day 637,000 gals.	Total	17,220,000 gallons

Year 2016

Jan.	Avg.	580,680 g.p.d.	Highest Day 734,000 gals.	Total	18,001,000 gallons
Feb.	Avg.	603,930 g.p.d.	Highest Day 710,000 gals.	Total	17,514,000 gallons
March	Avg.	586,650 g.p.d.	Highest Day 693,000 gals.	Total	18,186,000 gallons
April	Avg.	660,200 g.p.d.	Highest Day 1.021 MGD	Total	19,806,000 gallons
May	Avg.	681,130 g.p.d.	Highest Day 997,000 gals.	Total	21,115,000 gallons
June	Avg.	781,870 g.p.d.	Highest Day 1.113 MGD	Total	23,456,000 gallons
July	Avg.	865,610 g.p.d.	Highest Day 1.046 MGD	Total	26,834,000 gallons
August	Avg.	817,940 g.p.d.	Highest Day 1.084 MGD	Total	25,356,000 gallons
Sept	Avg.	700,630 g.p.d.	Highest Day 835,000 gals.	Total	21,019,000 gallons
Oct	Avg.	738,520 g.p.d.	Highest Day 1.235 MGD	Total	22,894,000 gallons
Nov	Avg.	654,530 g.p.d.	Highest Day 829,000 gals.	Total	19,636,000 gallons
Dec	Avg.	668,190 g.p.d.	Highest Day 779,000 gals.	Total	20,714,000 gallons

Year 2017

Jan.	Avg.	630,710 g.p.d.	Highest Day 771,000 gals.	Total	19,552,000 gallons
Feb.	Avg.	640,790 g.p.d.	Highest Day 885,000 gals.	Total	17,942,000 gallons
March	Avg.	611,520 g.p.d.	Highest Day 691,000 gals.	Total	18,957,000 gallons
April	Avg.	703,070 g.p.d.	Highest Day 1.173 MGD	Total	21,092,000 gallons

Pump Capacity - Well #1- 400 g.p.m. Well #3 -900 g.p.m. Well #4 - 1200 g.p.m. Well #5 – 1,100 g.p.m. Well #6 – 800 g.p.m.

WWTP – Holding & Septage Receiving

2005	\$ 87,562.01	2006	\$101,115.11	2007	\$152,201.07	2008	\$210,441.47
2009	\$183,815.34	2010	\$197,653.66	2011	\$220,576.28	2012	\$236,224.70
2013	\$235,336.46	2014	\$203,938.32	2015	\$210,644.47	2016	\$220,473.17

2015	Holdings (gals)	Grease (gals)	G Decant (gals)	Septage (gals)	S Decant (gals)	Total Billings
Jan	1,326,850			10,250	52,100	\$11,663.89
Feb	1,191,500			2,500	45,400	\$10,171.26
March	1,507,900			16,150	85,900	\$14,102.76
April	1,668,450			35,250	398,200	\$23,878.38
May	1,190,850			31,100	148,600	\$13,890.38
June	1,407,600			37,750	349,100	\$20,794.50
July	1,485,950			33,830	243,660	\$18,589.33
August	1,255,600			28,050	290,860	\$17,810.50
September	1,459,400			15,500	333,350	\$19,899.26
October	1,273,400	7,200		37,150	369,300	\$20,603.82
November	1,336,300			36,200	343,035	\$20,046.14
December	1,610,500			31,200	234,700	\$19,194.26

2016	Holdings (gals)	Grease (gals)	G Decant (gals)	Septage (gals)	S Decant (gals)	Total Billings
Jan	1,359,400			3,500	47,700	\$11,528.02
Feb	1,443,000			1,500	31,350	\$11,666.26
March	1,515,950			5,600	102,900	\$14,166.14
April	1,600,500			25,000	284,250	\$20,110.01
May	1,560,350			24,000	246,200	\$18,817.63
June	1,551,600			49,100	257,900	\$20,048.50
July	1,195,900			21,850	278,400	\$16,803.25
August	1,506,850			29,750	276,250	\$19,397.63
September	1,501,850			48,550	373,430	\$22,541.63
October	1,447,150			126,250	389,054	\$25,629.98
November	1,471,800			40,900	343,250	\$21,255.76
December	1,657,250			11,250	225,160	\$18,508.38

2017	Holdings (gals)	Grease (gals)	G Decant (gals)	Septage (gals)	S Decant (gals)	Total Billings
Jan	1,287,450			10,500	57,100	\$11,503.39
Feb	1,358,400		28,500	1,750	78,550	\$13,361.76
March	1,678,850		22,000	28,100	174,900	\$18,967.89

Final Lift for Developed Subdivisions

Bielinski Homes has scheduled the final lift in Laurel Springs Subdivision Phase 1 for June 5th. The curb and gutter has been inspected and marked for removal and repair prior to the asphalt installation. Still planning on developing phase 2 in 2017 or 2018.

Rosewood Drive/TIF #4 Expansion Project

The property still has the potential of being developed. Lawsuit is pending.

GIS Program

Town and Country Engineering continues to work on the maps, and getting the tablets ready for accessing the maps. An instructional meeting for staff is being scheduled to increase map usage.

Storm Water Management Plan

The ordinance is being finalized to be incorporated into the new Village Code. We will continue to monitor the system per the Storm Water Management Plan. The submittal deadline is June 30, 2017.

SCADA Upgrade Project

A loop meeting has been scheduled for June 13th to review all plans for the project. Upon approval of the plans the construction of all panels will begin.

Wilshire Drive Project LRIP

All items have been completed with only the landscaping to be addressed in the year of 2017. The grant money request form has been completed for reimbursement. A punch list has been completed, and will be addressed by the contractor during the completion of Chateau Drive Project.

Industrial Drive Sidewalk Project

The Industrial Drive Sidewalk project has been completed and a walkthrough completed. The only item is the landscaping to be addressed in the year of 2017.

Stonewall Sidewalk Project

The asphalt sidewalk has been installed. The only item is the landscaping to be addressed in the year of 2017. The contractor has been back to re-landscape. Waiting for grass to grow.

Space Needs Analysis Study

Cedar Corp team continues to meet with staff in developing plans for a new Safety Building.

Chateau Drive Reconstruction Project

The Chateau Drive Reconstruction Project is making progress. All concrete has been poured, and Stark Asphalt will start grading the roadway on Tuesday, May 30th. The landscaper will follow with the completion date being moved to June 2nd. If the project is not completed by June 2nd, the contractor will be required to pay a \$1,000 per day until completed.

CTH P and STH 60 Intersection Project

Washington County Highway Department has contracted with Gremmer & Associates to start the design of the reconstruction of CTH P from STH 60 to a point north of Cedar Creek Road. A design kickoff meeting is being scheduled. No Change

Respectfully submitted, Brian W. Kober, P.E.